

INSTALLATION INSTRUCTIONS

GRAND PET PALACE

5288

THANK YOU FOR CHOOSING KURYAKYN!

Protect yourself and others from possible injury and property damage or loss. Pay close attention to all instructions, warnings, cautions, and notices regarding the installation, use, and care of this product.

WARNING THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN POTENTIAL DEATH OR SERIOUS INJURY.

CAUTION THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN MINOR OR MODERATE POTENTIAL INJURY.

NOTICE THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN MAY NEGATIVELY AFFECT PRODUCT PERFORMANCE AND FUNCTIONALITY OR DAMAGE THE PRODUCT ITSELF OR THE PRODUCT TO WHICH IT IS BEING ATTACHED.

ENSURE THAT THE FOLLOWING PARTS HAVE BEEN INCLUDED IN THE KIT:

- | | | | |
|---|------------------|---|---------------------------------------|
| 1 | Grand Pet Palace | 1 | Carrying Handle |
| 1 | Removable Pad | 2 | Strap - Double Snap Hooks with Buckle |
| 1 | Removable Pouch | 2 | Strap - Single Snap Hook with Buckle |
| 1 | Rain Cover | 2 | Strap - 1" Wide Hook & Loop |
| 2 | Pet Bowls | 1 | Removable Leash |

NOTICE

THESE INSTALLATION INSTRUCTIONS CONTAIN IMPORTANT INFORMATION. ENSURE THE END USER RECEIVES THIS COPY AND IS AWARE OF ITS IMPORTANCE FOR FUTURE USE.

STEP 1

Read and understand all steps in the instructions before starting the installation. Park the motorcycle on a hard, level surface and turn off the ignition. Let motorcycle cool.

NOTICE

KURYAKYN IS NOT RESPONSIBLE FOR IMPROPER LOADS OR UNSAFE POSITIONING OF THE GRAND PET PALACE BAG. BE SURE THE WEIGHT OF THE CONTENTS IN THE BAG DOES NOT EXCEED SAFE LIMITS OF THE MOUNTING LOCATION SPECIFIED BY THE MOTORCYCLE MANUFACTURER.

STEP 2

Using at least four (4) of the adjustable straps included, secure the bag to either a luggage rack or the passenger seat base. Do not secure mounting straps to moving components such as the swingarm, secure to stationary objects only.

CAUTION AFTER INSTALLING THE GRAND PET PALACE BAG, BE SURE TO CHECK FOR PROPER CLEARANCE BETWEEN THE BAG AND ANY MOVING PARTS. NEVER PLACE THE ANCHORING STRAPS NEAR THE WHEELS OR BRAKE CALIPERS.



STRAPS - SINGLE
SNAP HOOK



STRAPS - 1" WIDE
HOOK & LOOP

STRAPS - DOUBLE
SNAP HOOKS

INSTALLATION INSTRUCTIONS

GRAND PET PALACE

5288

-CONTINUED-

MOUNTING SUGGESTIONS

When mounting the Grand Pet Palace bag to the passenger seat, Kuryakyn recommends securing the bag to the passenger footpeg mounts (if mounts are stationary), backrests or the frame with the Adjustable Straps with Clips. Be sure the mounting straps DO NOT interfere with the safe operation of your motorcycle. DO NOT secure the Grand Pet Palace Bag to the swingarm or any other part that moves independently from the seat. Secure the bag by hooking the straps to both the top and bottom D-rings. Route the straps around each side of the backrest support and then route the other two straps around each side of the luggage rack. If you do not have a backrest, hook the bag to other secure tie-down points. The bag must be secured in all four corners. To mount the Grand Pet Palace to the luggage rack, Kuryakyn recommends using the adjustable straps connected to the top D-rings on the Grand Pet Palace bag and securing the bag directly to the luggage rack tubing. Using the top D-rings will provide added stability when loaded with a pet and will make mounting easier with the longer straps.

NOTICE

CONNECT THE ANIMAL TO THE LEASH LOCATED INSIDE THE GRAND PET PALACE WHILE THE BIKE IS IN MOTION. ADJUST THE LEASH TO LIMIT THE PET'S MOVEMENT AND KEEP THE ANIMAL FROM JUMPING FROM THE BAG. IT IS THE RIDERS RESPONSIBILITY TO MAKE SURE THE BAG IS FASTENED SECURELY TO THE MOTORCYCLE EVERY TIME BEFORE RIDING. CHECK STRAPS FOR WEAR BEFORE EVERY USE.

WARNING

THE BAG MUST BE SECURED IN ALL FOUR CORNERS AND MUST FIT TIGHT TO THE MOTORCYCLE. ALL FOUR STRAPS MUST BE CONNECTED SECURELY WITH EXCESS OF THE STRAPS TIED OFF OR TUCKED-IN SECURELY. FAILURE TO FOLLOW THESE INSTRUCTIONS OR IMPROPER USE OF THIS BAG MAY RESULT IN THE BAG FALLING OFF THE BIKE OR LOOSE STRAPS BECOMING ENTANGLED IN MOVING PARTS OF THE MOTORCYCLE CAUSING LOSS OF CONTROL AND RESULTING IN SERIOUS INJURY TO THE PET AND/OR RIDER.

WARNING

RECOMMENDED APPROXIMATE WEIGHT CAPACITY IS 20 POUNDS OR LESS. ALWAYS FOLLOW MANUFACTURER'S RECOMMENDATIONS ON YOUR LUGGAGE RACK OR TOUR-PAK FOR LOAD LIMITS. LOAD ONLY IN COMPLIANCE WITH YOUR VEHICLE OWNER'S MANUAL.

WARNING

DO NOT USE RAIN COVER WHILE PET IS IN THE CARRIER AS IT COULD SUFFOCATE YOUR PET.

FEATURES

- Connect the carrying handle to the top D-rings of the Grand Pet Palace, and it becomes a convenient portable kennel
- Includes a leash that can connect to a D-ring inside the carrier
- Removable pad for easy cleaning
- Removable pouch for holding accessory items
- Includes Food and water bowls



KURYAKYN.COM

INSTALLATION INSTRUCTIONS

GRAND PET PALACE

5288

-CONTINUED-

BEFORE USE Make sure your pet tolerates confinement in Pet Carrier. Pet must be completely inside Pet Carrier and all access of entry points must be fully zipped closed while motorcycle is moving. If pet has any part of its body outside Pet Carrier while motorcycle is moving, you and/or your pet could be seriously injured or killed should pet fall or jump from Carrier. An adjustable leash is provided to attach pet's collar to D-rings inside Carrier. Attachment of the leash does not prevent or lessen the likelihood of injury or death if used while the motorcycle is moving. It is very important that you adjust the leash to minimize pet's movement, to avoid entanglement and to prevent pet from jumping from the pet carrier. If proper adjustment is not made and the leash is too long, the pet may jump or fall out of bag resulting in serious injury to the pet or death by hanging from the leash.

CAUTION AVOID SUFFOCATION BY ALWAYS LEAVING AT LEAST ONE MESH WINDOW COVERING PARTIALLY UNZIPPED TO ALLOW VENTILATION AND FRESH AIR IN THROUGH THE ZIPPED MESH WINDOW. NEVER LEAVE THE PET UNATTENDED IN THE CARRIER.

SAFETY TIP **PETS CHEW!** Always thoroughly check your pet carrier and leashes for pet damage before each ride. This pet carrier is not intended as a protective device. **KURYAKYN ASSUMES NO LIABILITY** for any injury or death to rider and/or pet arising from use of this product.

MOUNTING TIPS The Pet Palace bag must rest on either a luggage rack or passenger seat and be securely tied down. You must use all four straps to secure bag. It is very important that you inspect all straps before and after every use to make sure all straps are in working order. The bag should be secured using a 4 point tie down system. Secure the bags by hooking the straps to both the top and bottom D-rings on the bag. Using attached sissy bar straps around and/or through the backrest or sissy bar will aid in mounting. Route a strap around each side of the backrest support and then route the other two straps around each side of the luggage rack. If you do not have a backrest, hook bag to other secure tie down points. The bag must be secured in all four corners. Make sure the tie down points you choose are stationary and do not allow the straps to move and loosen up while riding. Each strap must be hooked independently to insure stable mounting. Once bag is in place and all straps are attached, tighten all straps so bag is attached securely and cannot move around. All loose ends of straps must be tucked in or tied off to avoid entanglement in moving parts of the motorcycle and to prevent paint damage caused from flapping straps.

NOTICE IT IS THE RIDER'S RESPONSIBILITY TO MAKE SURE THE BAG IS MOUNTED TIGHT WITH ALL STRAPS TIED OFF BEFORE RIDING. WITH BAG ATTACHED TO THE MOTORCYCLE, GRAB BAG ON BOTH SIDES AND TEST IT TO MAKE SURE ALL STRAPS ARE SECURE AND BAG DOES NOT MOVE. ALL KURYAKYN BAGS COME WITH AN INSTRUCTION SHEET. DO NOT USE THIS BAG WITHOUT READING AND PROPERLY UNDERSTANDING ALL OF THE INSTRUCTIONS.

KURYAKYN.COM

INSTALLATION INSTRUCTIONS

GRAND PET PALACE

5288

-CONTINUED-

WARNING

THE BAG MUST BE SECURED IN ALL FOUR CORNERS AND MUST FIT TIGHT TO MOTORCYCLE. ALL FOUR STRAPS MUST BE CONNECTED SECURELY WITH EXCESS OF STRAP TIED OFF OR TUCKED IN SECURELY. FAILURE TO FOLLOW THESE INSTRUCTIONS OR IMPROPER USE OF THIS BAG MAY RESULT IN THE BAG FALLING OFF THE BIKE OR LOOSE STRAPS BECOMING ENTANGLED IN MOVING PARTS OF THE MOTORCYCLE CAUSING LOSS OF CONTROL AND RESULTING IN SERIOUS INJURY OR DEATH TO THE PET AND/OR RIDER.

NOTICE

KURYAKYN HOLDINGS, LLC. ISSUES NO WARRANTY AND ASSUMES NO LIABILITY FOR DAMAGE CAUSED BY USE OF THIS PRODUCT OTHER THAN AS RECOMMENDED. RECOMMENDED APPROXIMATE WEIGHT CAPACITY IS 20 POUNDS OR LESS. ALWAYS FOLLOW MANUFACTURER'S RECOMMENDATIONS ON YOUR LUGGAGE RACK OR TOUR-PAK FOR LOAD LIMITS. LOAD ONLY IN COMPLIANCE WITH YOUR VEHICLE OWNER'S MANUAL.

NOTICE

IT IS THE INSTALLER'S RESPONSIBILITY TO ENSURE THAT ALL OF THE FASTENERS (INCLUDING PRE-ASSEMBLED) ARE TIGHTENED BEFORE OPERATION OF THE MOTORCYCLE. KURYAKYN WILL NOT PROVIDE WARRANTY COVERAGE ON PRODUCTS OR COMPONENTS LOST DUE TO IMPROPER INSTALLATION OR LACK OF MAINTENANCE. PERIODIC INSPECTION AND MAINTENANCE ARE REQUIRED ON ALL FASTENERS.

LIMITED WARRANTY

Kuryakyn warrants that any Kuryakyn products sold hereunder, shall be free of defects in materials & workmanship for a period of one (1) year from the date of purchase by the consumer excepting the following provisions:

1. Kuryakyn shall have no obligation in the event the customer is unable to provide a receipt showing the date the customer purchased the product(s).
2. The product must be properly installed, maintained & operated under normal conditions.
3. Kuryakyn shall not be liable for any consequential & incidental damages, including labor & paint, resulting from failure of a Kuryakyn product, failure to deliver, delay in delivery, delivery in nonconforming condition, or for any breach of contract or duty between Kuryakyn & a customer.
4. Kuryakyn products are often intended for use in specific applications. Kuryakyn makes no warranty if a Kuryakyn product is used in applications other than intended.
5. Kuryakyn electrical products are warranted for one (1) year from the date of purchase by the consumer. L.E.D.'s contained in components of Kuryakyn products will be warranted for defects in materials & workmanship for 3 years from the date of purchase whereas all other components shall be warranted for one (1) year.
6. All warranty claims must be directed to the place of purchase. Merchandise sold through internet auction sites or any other unauthorized reseller shall not carry a Kuryakyn warranty. If unsure, please contact the place of purchase to verify they are an authorized Kuryakyn reseller.

RETURN POLICY

Merchandise determined to be defective may be returned up to one year from the date of purchase. Returns must be processed through original seller. Returned merchandise for any other reason other than warranty claims must be in like new condition & subject to a 20% restocking fee. All returns are subject to inspection for determination of full or partial credit. Any returned part that shows evidence of being used or installed contrary to manufacturer's instructions, &/or subjected to improper handling, packaging or return shipping by the customer, will not be eligible for exchange, refund or warranty consideration. All returned electrical items will be inspected & tested. If electrical item is deemed functional, no credit will be issued & item will be returned. All sales are final on discontinued or closeout merchandise.

©2015 KURYAKYN HOLDINGS, LLC ALL RIGHTS RESERVED

KURYAKYN, KURYAKYN K logo and the marks appearing on this instruction sheet are registered and common law trademarks of Kuryakyn Holdings except noted third-party trademarks. A full listing of trademarks and trademark registrations owned by Kuryakyn Holdings can be found at www.kuryakyn.com/legal-notice.

Emissions Notice: The California Air Resources Board (CARB) does not permit the use of aftermarket emission-related parts(s) that alter the performance of OEM emission-related devices unless CARB has issued an Executive Order, other than on racing vehicles on closed courses. Check your local laws and manufacturer's information.

Listed Manufacturers and product model names are for reference only. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. All specifications are subject to change without notice.

For additional information on third-party product and company names, please consult our Web page at www.kuryakyn.com/legal-notice

KURYAKYN.COM

866 277 9598 | INFO@KURYAKYN.COM

454 COUNTY ROAD VV SOMERSET, WI 54025